

# Results

These results are released to you as soon as they are available in our care system. Your provider may not yet have had time to review these results and communicate back to you. Please allow your provider up to two business days to follow up with you regarding your results.

Due to state regulations, some results are deemed sensitive and will not be displayed. If you have questions about any of these results, or if you believe any of the results may be incorrect, please contact the **provider that ordered the study**.

## Most recent results

**Date Range:** 09/27/2025 - 10/04/2025

## HEMATOLOGY PROFILES

**WBC** Learn more about this 

**6.19 x10(9)/L** 

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range:

3.50 x10(9)/L - 10.50 x10(9)/L

**RBC** Learn more about this 

**5.15 x10(12)/L** 

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range:

4.32 x10(12)/L - 5.72 x10(12)/L

**HGB** Learn more about this 

**14.9 g/dL** 

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 13.5 g/dL - 17.5 g/dL

**HCT** Learn more about this 

**44.6 %** 

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 38.8 % - 50.0 %

**MCV** [Learn more about this](#) 

**86.6 fL**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 81.2 fL - 95.1 fL

**MCH** [Learn more about this](#) 

**28.9 pg**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 26.0 pg - 33.0 pg

**MCHC** [Learn more about this](#) 

**33.4 g/dL**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 32.0 g/dL - 36.0 g/dL

**RDW SD** [Learn more about this](#) 

**38.2 fL**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 35.1 fL - 43.9 fL

**RDW CV** [Learn more about this](#) 

**11.9 %**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 11.8 % - 15.6 %

**PLT** [Learn more about this](#) 

**262 x10(9)/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 150 x10(9)/L - 450 x10(9)/L

**MPV** [Learn more about this](#) 

**10.9**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 8.0 - 12.0

**% Neutrophils** [Learn more about this](#) 

**57.5 %** >

Date: Oct 04, 2025 03:34 p.m. CDT

---

**Abs Neutrophils** [Learn more about this](#) >

**3.56 x10(9)/L** >

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 1.70 x10(9)/L - 7.00 x10(9)/L

---

**% Immature Granulocytes** [Learn more about this](#) >

**0.20 %** >

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.02 % - 0.42 %

---

**Abs Immature Granulocytes** [Learn more about this](#) >

**0.01 x10(9)/L** >

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.00 x10(9)/L - 0.03 x10(9)/L

---

**% Lymphocytes** [Learn more about this](#) >

**29.4 %** >

Date: Oct 04, 2025 03:34 p.m. CDT

---

**Abs Lymphocytes** [Learn more about this](#) >

**1.82 x10(9)/L** >

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.90 x10(9)/L - 2.90 x10(9)/L

---

**% Monocytes** [Learn more about this](#) >

**11.6 %** >

Date: Oct 04, 2025 03:34 p.m. CDT

---

**Abs Monocytes** [Learn more about this](#) >

**0.72 x10(9)/L** >

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.30 x10(9)/L - 0.90 x10(9)/L

## % Eosinophils [Learn more about this](#)

**0.8 %**



Date: Oct 04, 2025 03:34 p.m. CDT

## Abs Eosinophils [Learn more about this](#)

**0.05 x10(9)/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.05 x10(9)/L - 0.50 x10(9)/L

## % Basophils [Learn more about this](#)

**0.5 %**



Date: Oct 04, 2025 03:34 p.m. CDT

## Abs Basophils [Learn more about this](#)

**0.03 x10(9)/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.00 x10(9)/L - 0.30 x10(9)/L

## % Nucleated RBCs [Learn more about this](#)

**0.0 %**



Date: Oct 04, 2025 03:34 p.m. CDT

## Absolute Nucleated RBCs [Learn more about this](#)

**0.0 x10(9)/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.0 x10(9)/L - 0.0 x10(9)/L

# POINT OF CARE

## Sodium i-STAT [Learn more about this](#)

**141 mmol/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 136 mmol/L - 145 mmol/L

**Potassium i-STAT** [Learn more about this](#) 

**4.3**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 3.5 - 5.1

---

**Chloride i-STAT** [Learn more about this](#) 

**102 mmol/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 98 mmol/L - 107 mmol/L

---

**CO2 i-STAT** [Learn more about this](#) 

**27 mmol/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 20 mmol/L - 31 mmol/L

---

**Anion Gap i-STAT** [Learn more about this](#) 

**17 mmol/L**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0 mmol/L - 20 mmol/L

---

**BUN i-STAT** [Learn more about this](#) 

**18 mg/dL**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 6 mg/dL - 20 mg/dL

---

**Creatinine i-STAT** [Learn more about this](#) 

**1.0 mg/dL**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 0.7 mg/dL - 1.2 mg/dL

---

**POC Estimated GFR for Adults** [Learn more about this](#) 

**> 90 mL/min/1.73m<sup>2</sup>**



Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: >= 90 mL/min/1.73m<sup>2</sup>

## i Ca i-STAT [Learn more about this](#)

**1.18 mmol/L** [>](#)

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 1.12 mmol/L - 1.30 mmol/L

## Glucose i-STAT [Learn more about this](#)

**96 mg/dL** [>](#)

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 70 mg/dL - 139 mg/dL

## Hematocrit i-STAT [Learn more about this](#)

**46.0 %** [>](#)

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 38.8 % - 50.0 %

## Hemoglobin i-STAT [Learn more about this](#)

**15.6 g/dL** [>](#)

Date: Oct 04, 2025 03:34 p.m. CDT

Reference Range: 13.5 g/dL - 17.5 g/dL

## Blood Pressure

### SBP NIBP / DBP NIBP [Learn more about SBP NIBP](#)

[Learn more about DBP NIBP](#)

**149 / 89 mmHg (SBP NIBP High)** [>](#)

Date: Oct 04, 2025 02:55 p.m. CDT

Reference Range (SBP NIBP):

90 mmHg - 139 mmHg

Reference Range (DBP NIBP):

60 mmHg - 90 mmHg

## Vital Signs

### Temperature (Celsius) [Learn more about this](#)

**98.4 DegF** [>](#)

Date: Oct 04, 2025 02:55 p.m. CDT

Reference Range: 96.8 DegF - 100.0 DegF

**SpO2** Learn more about this 

**99 %**



Date: Oct 04, 2025 02:55 p.m. CDT

Reference Range: 95 %