



▲ ESTRADIOL,ULTRASENSITIVE, LC/MS

| Analyte | Value |
|--|---|
| ▲ ESTRADIOL,ULTRASENSITIVE, LC/MS | 74 H Reference Range: < OR = 29 pg/mL See Note 1 |

PHYSICIAN REQUEST TO HOLD PATIENT RESULTS

| Analyte | Value |
|--|-------|
| PHYSICIAN REQUEST TO HOLD PATIENT RESULTS Results held per provider request. | |

PREGNENOLONE, LC/MS

| Analyte | Value |
|----------------------------|--|
| PREGNENOLONE, LC/MS | 51 Reference Range: 22-237 ng/dL See Note 1 |

Note 1 This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performing Sites

EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA
 NL1 Quest Diagnostics LLC-Quest Diagnostics LLC, 200 Forest St, Marlborough, MA 01752-3023 Laboratory Director: Salim E Kabawat M.D.

Key

Priority Out of Range Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

